

Tegile HA2100/HA2130

Capacity Optimized Solution

Ideal for workloads such as VDI, server consolidation and Microsoft applications at midsize organizations or at branch sites of larger enterprises.

Tegile IntelliFlash data reduction techniques can improve effective capacity by up to 10x.



Model	HA2100	HA2130
Platform Configuration		
Type	Hybrid Array	Hybrid Array
DRAM Memory	96 GB	96 GB
Flash Memory	600 GB	1200 GB
Storage Capacity		
Min / Max: Raw Capacity	22 / 100 TB	33 / 150TB
Physical		
Form Factor (Rack Units)	3U	3U
Weight (Lbs)	90	90
Power (W)	535	535
Network Connections		
1 Gbps Ethernet Ports	12	12
1 Gbps IP-KVM Lights-out Mgmt. Port	2	2
Optional Connectivity	Dual-port 4/8 Fibre-Channel, Dual-port 10 GbE Copper/Fiber, Quad-port 1 Gbps Ethernet	
Expansion Shelves		
J-Series	Up to 4 shelves	
Software Services Included		
Protocols	SAN (iSCSI, FC), NAS (NFS, CIFS, SMB)	
Data Services	De-duplication, Compression, Thin Provisioning, Snapshots, Remote Replication, Application-Aware Provisioning	
Management	Web browser, SSH, IP-KVM	
Redundancy	No single point of failure, Active-Active High Availability Architecture	
Warranty		
Basic	24x7 support via email and phone, next business day hardware replacement for defective parts and software updates for first 90 days.	
Optional	See IntelliCare Support Program for more information	